

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) Medium for detecting and/or identifying microorganisms present in a sample, comprising a culture medium and at least one substrate that can be hydrolysed to a labelled product by at least a first enzyme not free in the sample, and specific for said microorganisms, ~~characterized in that~~wherein it also comprises at least one inhibitor of at least a second enzyme, different from the first enzyme or identical to it, but free in said sample and not originating from a microorganism.

2. (Currently Amended) Detection and/or identification medium according to Claim 1, ~~characterized in that~~wherein the microorganism is a bacterium.


3. (Currently Amended) Detection and/or identification medium according to Claim 2, ~~characterized in that~~wherein said bacterium belongs to the *Salmonella* genus.

4. (Currently Amended) Detection and/or identification medium according to Claim 1, ~~characterized in that~~wherein the microorganism is a yeast.

5. (Currently Amended) Detection and/or identification medium according to Claim 4, ~~characterized in that~~wherein said yeast belongs to the *Candida* genus.

6. (Currently Amended) Detection and/or identification medium according to ~~any one~~ of ~~Claims 1 to 5~~ Claim 1, characterized in that wherein said first enzyme is an esterase.

7. (Currently Amended) Detection and/or identification medium according to Claim 6, characterized in that wherein the inhibitor is a compound of formula (I)



in which R<sub>1</sub> is a hydrogen atom, or an alkyl, aryl or halogen group,

R<sub>2</sub> is a hydrogen atom, or an alkyl, aryl or halogen group,

R<sub>3</sub> is nothing, or an alkyl, aryl or NO<sub>2</sub> group.

8. (Currently Amended) Detection and/or identification medium according to Claim 7, characterized in that wherein the inhibitor is O,O-diethyl p-nitrophenyl phosphate and/or O,O-dimethyl p-nitrophenyl phosphate and/or O,O-di-(2-chloroethyl)-O-(3-chloro-4-methylcoumarin-7-yl) phosphate and/or at least one derivative of these molecules.


9. (Currently Amended) Detection and/or identification medium according to Claim 8, characterized in that wherein the concentration of O,O-diethyl p-nitrophenyl phosphate or its derivative in the detection medium is between 0.1 and 15 mg/l, preferably between 1 and 10 mg/l.

10. (Currently Amended) Detection and/or identification medium according to Claim 8, ~~characterized in that~~wherein the concentration of O,O-dimethyl p-nitrophenyl phosphate or its derivative in the detection medium is between 0.1 and 100 mg/l, preferably between 10 and 50 mg/l.

11. (Currently Amended) Detection and/or identification medium according to Claim 8, ~~characterized in that~~wherein the concentration of O,O-di-(2-chloroethyl)-O-(3-chloro-4-methylcoumarin-7-yl) phosphate or its derivative in the detection medium is between 1 and 1000 mg/l, preferably between 30 and 100 mg/l.

12. (Currently Amended) Detection and/or identification medium according to ~~any one of Claims 1 to 5~~Claim 1, ~~characterized in that~~wherein said first enzyme is an osidase, preferably a glucosidase.

13. (Currently Amended) Detection and/or identification medium according to ~~any one of Claims~~Claim 12, ~~characterized in that~~wherein the inhibitor is a compound of formula (II):



(II)

or a derivative of this compound.

14. (Currently Amended) Detection and/or identification medium according to Claim 13, ~~characterized in that~~wherein the concentration of compound of formula (II) or its

derivative in the detection medium is preferably between 1 and 10 g/l, and even more preferably between 2 and 8 g/l.

15. (Currently Amended) Detection and/or identification medium according to ~~any one of Claims 1 to 14~~Claim 1, ~~characterized in that~~wherein said substrate is a chromogenic substrate, preferably an ester of indoxyl or of its derivatives.


16. (Currently Amended) Method for detecting and/or identifying microorganisms, comprising:

seeding the microorganisms to be identified onto a detection medium, according to ~~any one of Claims 1 to 15~~Claim 1,

incubating the detection medium seeded with the microorganisms to be identified, and determining the presence of microorganisms by detecting the substrate(s) hydrolysed to a labelled product.

17. (Currently Amended) Use of the detection and/or identification medium according to ~~any one of Claims 1 to 15~~Claim 1, for identifying microorganisms.

18. (Original) Use of a compound of formula (I)




in which  $R_1$  is a hydrogen atom, or an alkyl, aryl or halogen group,

$R_2$  is a hydrogen atom, or an alkyl, aryl or halogen group,

$R_3$  is nothing, or an alkyl, aryl or  $\text{NO}_2$  group,

for inhibiting a free enzyme in a sample.

19. (Original) Use of a compound of formula (II)



for inhibiting a free enzyme in a sample.